AQUA SURGICAL

RESCUE LIFE TOGETHER

SURGICAL INSTRUMENTS
MANUFACTURER & EXPORTER



NO.
06

PRODUCT CATALOGUE

Eye Instruments

Ophthalmic Surgery

+92 312 1635754 info@aquasurgicals.com www.aquasurgicals.com

Ophthalmic Forceps

Item: **AS-101**



Name: Nucleus Cracker, Curved, Serrated Paddles
Material: Titanium
Curved cross-action serrated paddles fro cracking nucleus, for use through a 3mm incision

Item: **AS-102**



Name: Curved Jeweler Forceps
Material: Titanium
.07 x .03mm tip

Item: **AS-103**



Name: Straight Jeweler Forceps
Material: Titanium
Available in 2 types:
.05 x .01mm tip
.1 x .06mm ti

Item: **AS-104**



Name: Cilia Forceps
Material Titanium
72mm length

Item: **AS-105**



Name: Chalazion Forceps, Oval
Material: Titanium
Oval 12 x 14mm, 98mm length

Item: **AS-106**



Name: Serrefine Clamp
Material: Titanium
Serrated jaws, 38mm length

Ophthalmic Forceps

Item: **AS-107**



Name: Shepard Lens Forceps, Curved Shafts
Material:Titanium
Flat tungsten carbide coated jaws, 125mm length

Item: **AS-108**



Name: Korenfeld Q-ceps
Material:Titanium
Designed to be used with cotton tips for gentle-touch fixation, absorption,and stabilization, 110mm length

Item: **AS-109**



Name: Helveston Fixation Forceps, .5mm 1 x 2 teeth
Material:Titanium ,Weighted curved handle,
thumb activated catch for locking 118mm length

Item: **AS-110**



Name: Helveston Fixation Forceps, .5mm 1 x 2 teeth
Material:Titanium,Weighted curved handle,
thumb activated catch for locking 118mm length

Item: **AS-111**



Material: Stainless Steel
Finish: Satin Finish (Mirror finish available upon request)
Packed In: Life Saver branded poly pouches.
Quantity: 1 EA

Item: **AS-112**



Material: Stainless Steel
Finish: Satin Finish (Mirror finish available upon request)
Packed In: Life Saver branded poly pouches.
Quantity: 1 EA

Item: **AS-201**



Name:Henderson Alignment Marker
Material:Titanium
With atraumatic disc-shaped marking surfaces at 3,6,
and 9 o'clock.For use with the Henderson Degree Gauge (8505)
and Henderson Toric Marker (8507).

Item: **AS-202**



Name: Henderson Toric Marker
Material: Titanium
Two 2.5mm radial marks extending to 11mm.
For use with the Henderson Degree Gauge (8505) and
the Henderson Alignment Marker (8506).

Item: **AS-203**



Name: Cionni Toric Reference Marker
Material:Titanium
3 blades provide radial marks to mark the horizontal and
vertical reference meridians 10mm I.D. 15mm O.D.
70 degree angled shaft.

Item: **AS-204**



Name: ICL Manipulator
Material:Titanium
Manipulates inferior and superior haptic of
lens for positioning under the iris.
Posterior surface is micro sandblasted.

Item: **AS-205**



Name: Mendez Degree Gauge
Material:Titanium
For accurate axial alignment of the cornea. 12mm I.D.
Calibrated every 10 degrees from 0 to 180 degrees.

Item: **AS-206**



Name: Henderson Degree Gauge
Material:Titanium
Beveled face with 4 notches on the internal edge for allignment.
11.7mm I.D. Calibrated every 5 degrees from 0 to 180 degrees.
For use with the Henderson Alignment Marker (8506) and
the Henderson Toric Marker (8507).

Ophthalmic Hooks

Item: **AS-301**



Name: Titanium Jameson Muscle Hook
Material:Titanium
Available large and small.

Item: **AS-302**



Name: Helveston Muscle Hook
Material:Titanium
Delicate, blunt spatulated tip -
available in 8mm, 10mm, or 12mm tip

Item: **AS-303**



Name: Kuglen Push/Pull Hook, Straight
Material:Titanium
Available angled or straight.

Item: **AS-304**



Name: Sinskey Hook II, Straight Shaft
Material:Titanium
.15mm blunt tip, available
with an angled or straight shaft

Item: **AS-305**



Name: Fenzel Insertion Hook, Straight
Material:Titanium
Available straight or angled.

Item: **AS-306**



Name: Jaffe-Knolle Iris Hook
Material:Titanium
Curved blunt hook, available angled or straight.

Ophthalmic Hooks

Item: **AS-307**



Name: Lewicky Lens Manipulating Hook
Material:Titanium
90° angled tip on curved shaft,
.15mm blunt tip.

Item: **AS-308**



Name: Strabismus Hook
Material: Titanium
Flat 7mm wide hook

Item: **AS-309**



Name: Kuglen Iris Hook and Lens Manipulator, Straight
Material: Titanium
Available angled or straight.

Item: **AS-310**



Ophthalmic Hooks
Tip diameter 02mm Blunt tip Round handle
Overall length 4-1/2" (115cm)

Item: **AS-311**



Ophthalmic Hooks
Small, bulbous tip with flat sides
Overall length 4-3/4" (12cm)

Item: **AS-312**



Ophthalmic Hooks
Push-pull model Overall
length 4-1/2" (114cm)

Ophthalmic Scissors

Item: **AS-401**



Name: IOL Cutter, Straight Shaft, 19ga ISOCLEAN™
Material: Titanium

Item: **AS-402**



Name: Utility Scissors, Curved Blades, Pointed Tips
Material: Titanium
Available with curved or straight blades, pointed or blunt tips,
32mm from pivot to tip 110mm length

Item: **AS-403**



Name: Castroviejo Corneal Scissors,
105mm Length, Curved, 10.5mm From Pivot To Tip
Material:Titanium
Blunt tips, small blades, 105mm length.
Available curved or straight, 10.5mm/11mm/13mm from pivot to tip

Item: **AS-404**



Name: Iris Scissors, Flat 3-Hole Handle
Material: Titanium
11mm blades, sharp tips, 105mm length

Item: **AS-405**



Name: Utility Scissors, Blunt Tenotomy Tip,
Curved, 110mm
Material: Titanium
Available Curved or Straight

Item: **AS-406**



Name: Vannas Scissors, 105mm Length
Material: Titanium
Extra thin 7mm blades, sharp pointed tips,
9mm from pivot to tip 105mm length

Ophthalmic Scissors

Item: **AS-407**



Name: Vannas Scissors, 105mm Length
Material: Titanium
Extra thin 7mm blades, sharp pointed tips, 9mm from pivot to tip 105mm length

Item: **AS-408**



Name: Castroviejo Corneal Scissors, 115mm Length
Material: Titanium
Blunt tips, 115mm length. Available in 2 sizes,
11mm or 16mm from pivot to tipsss

Item: **AS-409**



Name: Castroviejo Keratoplasty Scissors
Material: Titanium
Blunt angled tips, longer lower blade,
16mm from pivot to tip 105mm length

Item: **AS-410**



Name: Mcpherson-Westcott Stitch Scissors, Flat 3-Hole Shaft
Material: Titanium
Very sharp pointed tips, 10.5mm from pivot to tip, 105mm length

Item: **AS-411**



Name: Osher IOL Cutter
Material: Titanium

Item: **AS-412**



Name: Westcott Curved Tenotomy Scissors
Material: Titanium
Blunt tips, 19mm/21mm from pivot to tip,
110mm/115mm length

Ophthalmic Scissors

Item: **AS-413**



Name: Iridectomy Scissors, ISOCLEAN™, Curved, 20ga
Material: Titanium
Available in curved or straight.
20ga or 23a for use through the paracentesis.

Item: **AS-414**



Name: Vannas Scissors, 82mm Length, Straight Blades
Material: Titanium
Curved or straight, sharp pointed tips,
7.5mm blades, 9.5mm from pivot to tip 82mm lengt

Item: **AS-415**



Name: Westcott Utility Scissors
Material: Titanium
Sharp tips, 25mm from pivot to tip, 130mm length

Item: **AS-416**



Name: Westcott Utility Scissors
Material: Titanium
Sharp tips, 25mm from pivot to tip,
130mm length

Item: **AS-417**



Name: Castroviejo Corneal Section Scissors,
Left Hand, 9mm From Pivot To Tip
Material: Titanium
Blunt tips, lower blade .5mm longer than upper,
9mm or 13mm from pivot to tip, 105mm length.
Available in left or right hand.

Item: **AS-418**



Name: Vannas Angled Scissors
Material: Titanium
Sharp tips, 7.0mm blades,
9.0mm from pivot to tip 82mm length

Ophthalmic Calipers

Item: **AS-501**



Name: Braunstein Fixed Caliper
Material:Titanium
Available in 3.5/4.0mm and 3.0/3.5mm

Item: **AS-502**



Name: Castroviejo Calipers
Material: Titanium
Measures from 0mm to 20mm in .5mm increments with scale reading on one side. Available with straight or curved tips.

Item: **AS-503**



Caliper measures from 0mm to 20mm in 1mm increments with scale reading on both sides. Thumbscrew holds tips apart at desired setting. Features polished finish. Overall length: 86mm, 3.4 inches.
Materials: Stainless Steel

Item: **AS-504**



Curved 45° shafts with grooves for marking fluid. Caliper measures from 0mm to 20mm in 1mm increments with scale reading on both sides. Thumbscrew holds tips apart at desired setting. Features polished finish. Overall length: 86mm, 3.4 inches.
Materials: Stainless Steel

Item: **AS-505**



Mechanical Dial Caliper Device.
Measuring device used to measure the distance between two opposing sides of an object.
Comes with a red sturdy storage box to protect device.

Item: **AS-506**



Measures Ommto 80mm in 1mm increments and 0 to 3 inches in 1/16 inch increments. Features include narrow, flat 3mm tips and a thumbscrew for locking the caliper at the desired setting. Overall length: 94mm, 3.7 inches.

Ophthalmic Cannulas

Item: **AS-601**



Name: McIntyre Anterior Chamber Cannula
Material: Stainless Steel
Angled blunt tip, 12mm from tip to bend,
available in 26ga and 30g

Item: **AS-602**



Name: Air Injection Cannula
Material:Stainless Steel
45° angled shaft, 5mm from tip to bend,
polished finished, available in 19ga, 27ga, and 30ga

Item: **AS-603**



Name: Knolle Irrigating Cannula
Material:Stainless Steel
Blunt tip, 45° angled shaft, 2mm from tip to bend,
available in 23ga and 25ga

Item: **AS-604**



Name: Binkhorst Irrigating Cannula
Material:Stainless Steel
Available in left and right - 22ga, 25ga, 26ga

Item: **AS-605**



Name: Binkhorst Irrigating Cannula
Material:Stainless Steel
Available in left and right - 22ga, 25ga, 26ga

Item: **AS-606**



Name: Binkhorst Irrigating Cannula
Material:Stainless Steel
Available in left and right - 22ga, 25ga, 26ga

Ophthalmic Cannulas

Item: **AS-607**



Name: Viscoelastic Injection Cannula, 21ga
Material:Stainless Steel
50° angled shaft, 5mm from tip to bend,
flattened rounded tip, available in 19ga and 21ga

Item: **AS-608**



Name: Viscoelastic Injection Cannula, 21ga
Material:Stainless Steel
50° angled shaft, 5mm from tip to bend,
flattened rounded tip, available in 19ga and 21ga

Item: **AS-609**



Name: Curved Lacrimal Cannula
Material:Stainless Steel
10mm curved, 23ga tip

Item: **AS-610**



Name: Troutman Olive Tip Cannula
Material:Stainless Steel
1mm smooth bulbous tip, angled,
16mm from tip to bend, 25ga

Item: **AS-611**



Name: Kellan Hydrodissection Cannula
Material:Stainless Steel
Gently curved 25ga cannula with flattened blunt
tip to slip under the anterior capsular flap

Item: **AS-612**



Name: Vidaurri LASIK Cannula
Material:Stainless Steel
Double-armed, eight irrigating ports, 25ga

Ophthalmic Needle Holders & Needle Drivers

Item: **AS-701**



Name: Straight Needle Holder, 0.6mm Closed Width Tip
Material:Titanium
6mm delicate jaws,
with or without lock, 110mm length

Item: **AS-702**



Name: Castroviejo Suture Cutting Straight Needle Holder
Material:Titanium
Standard 11mm jaws, blunt tips, with cutting platform,
without lock, 140mm length
Rated 4.7/5 based on 192 customer reviews

Item: **AS-703**



Name: Barraquer Curved Needle Holder, 0.8mm Closed Tip Width
Material:Titanium
Very delicate 9mm jaws, sharp tips, with or without lock
, 115mm length. Closed tip width of 0.8mm.

Item: **AS-704**



Name: Curved Needle Holder, 0.6mm Closed Tip Width
Material: Titanium
6mm delicate jaws, with or without lock, 110mm length

Item: **AS-705**



Name: Curved Needle Holder, 0.8mm Closed Tip Width
Material:Titanium
Medium 11mm jaws, sharp tips,
with or without lock, 115mm length

Item: **AS-706**



Name: Barraquer Straight Needle Holder
Material:Titanium
Delicate 9mm jaws, sharp tips, with or without lock,
115mm length. 0.80mm closed tip width.

Ophthalmic Needle Holders & Needle Drivers

Item: **AS-707**



Name: Barraquer Straight Needle Holder
Material:Titanium
Delicate 9mm jaws, sharp tips, with or without lock,
115mm length. 0.80mm closed tip width.

Item: **AS-708**



Name: Side Curved Needle Holder
Material:Titanium
Blunt tips, without lock,
115mm length. 0.60 closed tip width.

Item: **AS-709**



Name: Side Curved Needle Holder
Material:Titanium
Blunt tips, without lock,
115mm length. 0.60 closed tip width.

Item: **AS-710**



Name: Castroviejo Straight Needle Holder
Material:Titanium
Available in several options:
11mm jaws, blunt tips,
without lock, 140mm length, 1.00mm closed tip width
5004DS-140L - Delicate 11mm jaws, blunt tips,
with lock, 140mm length, 1.00mm closed tip width

Item: **AS-711**



Name: Barraquer Curved Needle Holder, 0.93mm Closed Tip Width
Material: Titanium
Delicate 9mm jaws, sharp tips, with or without lock,
115mm lengthName: Barraquer Curved Needle Holder,
0.93mm Closed Tip Width


Item: **AS-712**



Name: Barraquer Straight Needle Holder
Material:Titanium
Delicate 9mm jaws, sharp tips, with or without lock,
115mm length. 0.80mm closed tip width.


Ophthalmic Speculum

Item: **AS-801**



Name: Nagahara Wire Speculum (Nasal Placement)
Material:Titanium
Designed for temporal approach cataract surgery 13.5mm blades, 52mm length

Item: **AS-802**



Name: Wire Speculum
Material: Titanium
13.5mm blades, 52mm length

Item: **AS-803**



Name: Closed Loop Wire Speculum
Material: Titanium
13.5mm blades, 52mm length

Item: **AS-804**



Name: Barraquer Solid Blade Speculum
Material: Titanium
14.5mm blades, 52mm length

Item: **AS-805**



Name: Lieberman Open V-Wire Speculum
Material: Titanium
Adjustable 14.5mm blades, 65mm length

Item: **AS-806**



Name: Lieberman Solid Speculum
Material: Titanium
Adjustable 14.5mm blades, 65mm length


Ophthalmic Speculum

Item: **AS-807**



Name: Lieberman-Kratz Open Wire Speculum
Material:Titanium
Adjustable 14.5mm open blades,
45° angled shaft 65mm length

Item: **AS-808**



Name: Lindstrom-Chu Aspirating Speculum
For removal of excess fluid from the ocular surface.
Reversible speculum can rest nasally or temporally.
Adjustable 14.5mm blades, 65mm length

Item: **AS-809**



Name: Ginsberg Eye Speculum
Material:Titanium
Flared ends control lid skin folds.
Shorter lower blade for easy insertion and removal.
Fenestrated blades minimize pressure exerted on the globe.
Strongly angled shafts allow opening
and closing mechanism to lie flat and
control redundant lid tissue.
Adjustable 14.5mm blades, 65mm lengthss

Item: **AS-810**



Name: Slade LASIK Wire Speculum
Material:Titanium
Designed for maximum exposure of globe
and to accommodate suction ring.
Adjustable 14.5mm blades, 65mm length

Item: **AS-811**



Spring-controlled spread of blades
with locking mechanism.
Dull finish. Blades: 15mm. Blade spread:
41mm. Overall length: 69mm.


Item: **AS-812**



Sterile singe use adjustable eye speculum with
16mm solid blades.Packaged single. Sterile. 6/box.

Ophthalmic Speculum

Item: **AS-813**



Sterile single use wire speculum with closed valves.
14mm blade length. Packaged single. Sterile. 24/box.

Item: **AS-814**




Adjustable wire speculum with 17mm open blades.
Lid tension adjustable throughout procedure with thumb screw control.
Shaft angled 45°. Titanium. Overall length: 94mm

Item: **AS-815**




Adult model. Spring-controlled spread of blades with locking mechanism.
Dull finish. Blades: 14mm. Blade spread: 52mm. Overall length: 86mm.

Item: **AS-816**



Fenestrated 14mm blades. Self-locking mechanism.
Blade spread: 24mm. Dull finish. Overall length: 57mm.

Item: **AS-817**



Solid 4mm blades. Locking thumb screw. Blade spread: 14mm.
Dull finish. Holes in bar decrease weight of speculum.
Overall length: 35mm.Solid 4mm blades.

Item: **AS-818**



Blade Spread ; 18mm
Type ;Lid Speculum
Blade Pattern; Temporal Approach
Blade Size; 14mm

AQUA SURGICAL

RESCUE LIFE TOGETHER

SURGICAL INSTRUMENTS MANUFACTURER & EXPORTER

ADDRESS

Tasleem Pura Post Office, Bhagwal Awan, Bhinder
Sialkot 51310, Pakistan

PHONE & WHATSAPP

+92 312 1635754

EMAIL

info@aquasurgicals.com

WEBSITE

www.aquasurgicals.com